AMENDMENTS TO THE CLAIMS

1. (Currently Amended) A plugging method for a printed circuit board having a plurality of circuit patterns formed on a surface of the board, comprising the step of:

filling a solder resist or resin in a space between two adjacent circuit patterns by moving a squeegee to be abutted directly on contact an upper surface of at least one of the two adjacent circuit patterns.

- 2. (Previously Presented) The method of claim 17, wherein the two dimensional plating is a gold plating.
- 3. (Currently Amended) A method for manufacturing a printed circuit board having a plurality of first circuit patterns formed on a surface of the board and a plurality of second circuit patterns formed within the board, and a plurality of via holes for electrically connecting the first circuit patterns and the corresponding second circuit patterns, comprising the step of:

filling a solder resist or resin in at least one of the via holes by moving a squeegee to be abutted directly on contact an upper surface of at least one of the first circuit patterns corresponding to the at least one of the via holes[[;]].

4. (Previously Presented) The method of claim 18, wherein the two dimensional plating is a gold plating.

Birch, Stewart, Kolasch & Birch, LLP EHC/GH/cl

Page 3 of 12

5. (Previously Presented) A plugging method for a printed circuit board having a plurality of first circuit patterns formed on a surface of the board, and a plurality of second circuit patterns formed in the board, comprising the steps of:

filling a solder resist or resin in spaces between the first circuit patterns;

grinding the surface of the board; and

performing a two dimensional plating on an upper surface of the first pattern;

wherein the solder resist or resin is plugged into the spaces by moving the squeegee under the condition of being abutted directly on the upper surface of the spaces.

6. (Previously Presented) The method of claim 1, wherein the step of filling the solder resister or resin comprises;

a first step of plugging the solder resist or resin in one portion of the space by moving the squeegee to be abutted on the upper surface of the at least one of the two adjacent circuit patterns; and

a second step of completely plugging the solder resist or resin in the whole portion of the space by moving the squeegee to be abutted on the upper surface of the at least one of the two adjacent circuit patterns.

7. (Previously Presented) The method of claim 6, wherein in the second plugging step the solder resist or resin is plugged in the space by moving the squeegee in an opposite direction to a moving direction of the squeegee in the first plugging step.

Birch, Stewart, Kolasch & Birch, LLP EHC/GH/cl

Page 4 of 12

8. (Previously Presented) The method of claim 6, wherein in the second plugging

step the solder resist or resin is plugged in the space by moving the squeegee in a same direction

to a moving direction of the squeegee in the first plugging step.

9. (Previously Presented) The method of claim 1, wherein the solder resist or resin is

coated only on an area exposed by a mask for selectively exposing the plurality of circuit

patterns formed on the printed circuit board at a predetermined interval or on the space.

10. (Currently Amended) A plugging method for a printed circuit board having a

plurality of first circuit patterns formed on a surface of the board, and a plurality of second

circuit patterns formed in the board, comprising the steps of:

filling a solder resist or resin in spaces between the first circuit patterns;

grinding the surface of the board; and

performing a two dimensional plating on an upper surface of the first pattern;

wherein the solder resist or resin filled in the spaces among the surface side circuit

patterns is filled to substantially the same height as the upper surface of the circuit patterns.

11. (Previously Presented) The method of claim 3, wherein the solder resist or resin is

plugged into the at least one of the via holes by moving the squeegee to be abutted directly on an

upper surface of the at least one of the via holes.

12. (Previously Presented) The method of claim 3, wherein the step of filling the

solder resister or resin comprises:

a first step of plugging the solder resist or resin in one portion of the at least one of the

via holes by moving the squeegee to be abutted on the upper surface of the at least one of the

first circuit patterns; and

a second step of completely plugging the solder resist or resin in the whole portion of the

at least one of the via holes by moving the squeegee under the condition of being abutted on the

upper surface of the at least one of the first circuit patterns.

13. (Previously Presented) The method of claim 12, wherein in the second plugging

step the solder resist or resin is plugged in the at least one of the via holes by moving the

squeegee in an opposite direction to a moving direction of the squeegee in the first plugging step.

14. (Previously Presented) The method of claim 12, wherein in the second plugging

step the solder resist or resin is plugged in the at least one of the via holes by moving the

squeegee in a same direction to a moving direction of the squeegee in the first plugging step.

15. (Previously Presented) The method of claim 3, wherein the solder resist or resin

is coated only on an area exposed by a mask for selectively exposing the plurality of the first

circuit patterns formed on the printed circuit board at a predetermined interval or on the via

holes.

16. (Currently Amended) A method for manufacturing a printed circuit board having

a plurality of first circuit patterns formed on a surface of the board and a plurality of second

circuit patterns formed within the board, and a plurality of via holes for electrically connecting

the first circuit patterns and the corresponding second circuit patterns, comprising the step of:

filling a solder resist or resin in at least one of the via holes by moving a squeegee to be

abutted directly on an upper surface of at least one of the first circuit patterns corresponding to

the at least one of the via holes The method of claim 3,

wherein the solder resist or resin filled in the at least one of the via holes is filled to

substantially the same height as the upper surface of the first circuit patterns.

17. (Currently Amended) The method of claim 1, further comprising: A plugging

method for a printed circuit board having a plurality of circuit patterns formed on a surface of the

board, comprising:

filling a solder resist or resin in a space between two adjacent circuit patterns by moving

a squeegee to be abutted directly on an upper surface of at least one of the two adjacent circuit

patterns;

grinding the surface of the board; and

performing a two dimensional plating on an upper surface of at least one of the circuit

patterns.

18. (Currently Amended) The method of claim 3, further comprising: A method for

manufacturing a printed circuit board having a plurality of first circuit patterns formed on a

Birch, Stewart, Kolasch & Birch, LLP EHC/GH/cl

Page 7 of 12

surface of the board and a plurality of second circuit patterns formed within the board, and a plurality of via holes for electrically connecting the first circuit patterns and the corresponding second circuit patterns, comprising:

filling a solder resist or resin in at least one of the via holes by moving a squeegee to be abutted directly on an upper surface of at least one of the first circuit patterns corresponding to the at least one of the via holes;

grinding the surface of the board and exposing an upper surface of at least one of the first circuit patterns formed on the surface of the board; and

performing a two dimensional plating on the exposed upper surface of the at least one of the first circuit patterns formed on the surface of the board.